

Publications FACE-SZ

1. **Relationships between low-grade peripheral inflammation and psychotropic drugs in schizophrenia: results from the national FACE-SZ cohort.** Fond G, Resseguier N, Schürhoff F et al. *Eur Arch Psychiatry Clin Neurosci.* 2017 Nov 10. doi: 10.1007/s00406-017-0847-1. [Epub ahead of print]
2. **Influence of Venus and Mars in the cognitive sky of schizophrenia. Results from the first-step national FACE-SZ cohort.** Fond G, Boyer L, Leboyer M et al. 2017 Sep 30. pii: S0920-9964(17)30589-3. doi: 10.1016/j.schres.2017.09.027. [Epub ahead of print]
3. **Risk factors for increased duration of untreated psychosis. Results from the FACE-SZ dataset.** Fond G, Boyer L et al. *Schizophr Res.* 2017 Sep 6. pii: S0920-9964(17)30534-0. doi: 10.1016/j.schres.2017.08.058. [Epub ahead of print]
4. **Predictors of rapid high weight gain in schizophrenia: Longitudinal analysis of the French FACE-SZ cohort.** Godin O, Leboyer M et al. *J Psychiatr Res.* 2017 Jun 20;94:62-69
5. **Cigarette smoking and schizophrenia: a specific clinical and therapeutic profile? Results from the FACE-Schizophrenia cohort.** Mallet J, Le Strat Y *Prog Neuropsychopharmacol Biol Psychiatry.* 2017 Jun 27;79(Pt B):332-339.
6. **Advanced paternal age is associated with earlier schizophrenia onset in offspring. Results from the national multicentric FACE-SZ cohort.** Fond G, Godin O et al. *Psychiatry Res.* 2017 Aug;254:218-223.
7. **Nicotine dependence is associated with depression and childhood trauma in smokers with schizophrenia: results from the FACE-SZ dataset.** Rey R, D'Amato T et al. *Eur Arch Psychiatry Clin Neurosci.* 2017 Apr 7. doi: 10.1007/s00406-017-0779-9. [Epub ahead of print]
8. **Benzodiazepine long-term administration is associated with impaired attention/working memory in schizophrenia: results from the national multicentre FACE-SZ data set.** Fond G, Berna F et al. *Eur Arch Psychiatry Clin Neurosci.* 2017 Mar 27. doi: 10.1007/s00406-017-0787-9. [Epub ahead of print]
9. **Chronic low-grade peripheral inflammation is associated with severe nicotine dependence in schizophrenia: results from the national multicentric FACE-SZ cohort.** Fond G, Berna F et al. *Eur Arch Psychiatry Clin Neurosci.* 2017 Aug;267(5):465-472. doi: 10.1007/s00406-017-0771-4
10. **Validation study of the Medication Adherence Rating Scale. Results from the FACE-SZ national dataset.** Fond G, Boyer L et al. *Schizophr Res.* 2017 Apr;182:84-89. doi: 10.1016/j.schres.2016.10.023. Epub 2016 Oct 24.
11. **Childhood trauma, depression and negative symptoms are independently associated with impaired quality of life in schizophrenia. Results from the national FACE-SZ cohort.** Andrianarisoa M, Boyer L et al. *Schizophr Res.* 2017 Jul;185:173-181. doi: 10.1016/j.schres.2016.12.021. Epub 2017 Jan 19.
12. **Chronic Peripheral Inflammation is Associated With Cognitive Impairment in Schizophrenia: Results From the Multicentric FACE-SZ Dataset.** Bulzacka E, Boyer L et al. *Schizophr Bull.* 2016 Sep;42(5):1290-302.

13. **Peripheral sub-inflammation is associated with antidepressant consumption in schizophrenia. Results from the multi-center FACE-SZ data set.** Fond G, Godin O et al. *J Affect Disord.* 2016 Feb;191:209-15.
14. **Medication and aggressiveness in real-world schizophrenia. Results from the FACE-SZ dataset.** Fond G, Boyer L et al. *Psychopharmacology (Berl).* 2016 Feb;233(4):571-8
15. **Determination of Adherence Profiles in Schizophrenia Using Self-Reported Adherence: Results From the FACE-SZ Dataset.** Misdrahi D, Tessier A et al. *J Clin Psychiatry.* 2016 Sep;77(9):e1130-e1136.
16. **Birth by cesarean section and schizophrenia: results from the multicenter FACE-SZ data-set.** Fond G, Bulzacka E et al. *Eur Arch Psychiatry Clin Neurosci.* 2016 Jun 27. [Epub ahead of print]
17. **Differential effects of childhood trauma and cannabis use disorders in patients suffering from schizophrenia.** Baudin G, Godin O et al. *Schizophr Res.* 2016 Aug;175(1-3):161-7.
18. **Akathisia: prevalence and risk factors in a community-dwelling sample of patients with schizophrenia. Results from the FACE-SZ dataset.** Berna F, Misdrahi D et al. *Schizophr Res.* 2015 Dec;169(1-3):255-261. doi: 10.1016/j.schres.2015.10.040. Epub 2015 Nov 15.
19. **Metabolic syndrome, abdominal obesity and hyperuricemia in schizophrenia: Results from the FACE-SZ cohort.** Godin O, Leboyer M et al. *Schizophr Res.* 2015 Oct;168(1-2):388-94. doi: 10.1016/j.schres.2015.07.047.
20. **A National network of schizophrenia expert centres: An innovative tool to bridge the research-practice gap.** Schürhoff F et al. *Eur Psychiatry.* 2015 Sep;30(6):728-35. doi: 10.1016/j.eurpsy.2015.05.004. Epub 2015 Jun 10.

Publication FACE BD

21. [Associations between residual depressive symptoms, cognition, and functioning in patients with euthymic bipolar disorder: results from the FACE-BD cohort.](#) Roux P, Raust A, Cannavo AS et al. *Br J Psychiatry.* 2017 Oct 19. pii: bjp.bp.117.201335.
22. [Sleep quality and emotional reactivity cluster in bipolar disorders and impact on functioning.](#) Etain B, Godin O, Boudebessé C et al., *Eur Psychiatry.* 2017 Jul 16;45:190-197.
23. [Childhood trauma, dimensions of psychopathology and the clinical expression of bipolar disorders: A pathway analysis.](#) Etain B, Lajnef M et al., *J Psychiatr Res.* 2017 Jul 29;95:37-45.
24. [Neuropsychological functioning, age, and medication adherence in bipolar disorder.](#) Correard N, Consolini JL et al. *PLoS One.* 2017 Sep 5;12(9):e0184313.
25. **Outcomes of bipolar patients referred to the French specialized network: a 2 year-follow-up study.** Henry C, Godin O et al. *Bipolar Disorders* (2017 Sep 12). doi: 10.1111/bdi.12539. [Epub ahead of print]

26. **Sleep, chronotype, metabolic component and derivated index: Results from the FACE-BD sample.** Godin et al. Chronobiology International 2017 Sep 14:1-11. doi: 10.1080/07420528.2017.1332071. [Epub ahead of print]
27. **Seasonal pattern in bipolar disorders and cardio-vascular risk factors: a study from the FACE-BD cohort.** Goeffroy PA, Godin O et al. Chronobiol Int. 2017 May 24:1-10.
28. **Affect lability predicts occurrence of suicidal ideation in bipolar patients: a two-year prospective study.** Ducasse D, Jaussent I et al. Acta Psychiatr Scand. 2017 May;135(5):460-469.
29. **Cognitive profiles in euthymic patients with bipolar disorders: results from the FACE-BD cohort.** Roux P, Raust A et al. Bipolar Disorders, 2017;19(2):146-153.
30. **Emotional reactivity, functioning, and C-reactive protein alterations in remitted bipolar patients: Clinical relevance of a dimensional approach.**Dargèl A, Godin O et al., Aust N Z J Psychiatry. 2017 Apr 1:4867417691850. doi: 10.1177/0004867417691850
31. **Physical and mental health burden in cases of bipolar disorders classified as current, former or non-tobacco smokers.** Icick R, Gard S et al. 2017; J Affect Disord. 2017 ;208:406-413
32. **Effect of early trauma on the sleep quality of euthymic bipolar patients.** Aubert E, Jaussent I et al., 2016, J Affect Disord. 2016;206:261-267
33. **Bipolar patients referred to specialized services pf care: Not resistant but impaired by sub-syndromal symptoms. Results from the FACE-BD cohort.** Henry C, Etain B et al. Aust N Z J Psychiatry. 2015
34. **Adherence to medication is associated with non-planning impulsivity in euthymic bipolar disorder patients.** Belzeaux R, Boyer L, Mazzola-Pomietto P et al., J Affect Disord. 2015 Sep 15;184:60-6.
35. **Clinical and neuropsychological characteristics of euthymic bipolar patients having a history of severe suicide attempt.** Olié et al., Acta Psychiatr Scand. 2015 Feb;131(2):129-38.
36. **Increased risk of suicide attempt in bipolar patients with severe tobacco dependence.** Ducasse et al., J Affect Disord. 2015;183:113-118
37. **Metabolic syndrome in a French cohort of patients with bipolar disorder: Results from the FACE-BD cohort.** Godin et al., J Clin Psychiatry. 2014 ;75(10):1078-1085
38. **Depressive residual symptoms are associated with lower adherence to medication in bipolar patients without substance use disorder: Results from the FACE-BD cohort.** Belzeau et al. J Affect Disord. 2013;151(3):1009-1015
39. **Chronotypes of bipolar patients in remission: Validation of the French version of the circadian type inventory in the FACE-BD sample.** Boudebessè et al., Chronobiol Int. 2013;30(8):1042-1049